


Screwdriver Tools



The ComfortGrip two component handle:

- A tough thermoplastic core for strength and resistance to splitting
- Molded-on rubber coating for superior grip
- Handle shape prevents rolling on surfaces angled up to 15°
- Available in very small sizes for delicate tasks (0.050", 1.27mm, T5)
- Much faster than ball end hex keys in assembly and frequent use applications



Bondhus handles are designed and sized to match the torque capacity of each blade tip.



Ergonomically designed handles deliver maximum torque with unrivaled comfort and grip



Slight texture of handles helps retain grip, even when hands are wet or oily

Color Coded

-  Inch
-  Metric
-  Star

High Torque Steel:

- Up to 20% stronger, with more torque and twice the wear resistance of standard grades of steel.

Corrosion-resistant finish:

- Environmentally safe, provides better tool grip, resists solvents and is 5 times more corrosion resistant than competitor finishes.

Screwdriver Sets

Ball End Sets

Inch Sizes

SIZE	PCS	ProHold® Tip ProGuard™ finish			Balldriver® Tip ProGuard™ finish			Balldriver® Tip GoldGuard™ finish			Balldriver® Tip BriteGuard™ finish		
		PART#	MODEL #	LIST EA	PART#	MODEL #	LIST EA	PART#	MODEL #	LIST EA	PART#	MODEL #	LIST EA
.050 – 5/32	8	74632	PBSX8S	\$26.40	10632	BSX8S	\$22.25	38632	BSX8SG	\$29.80	16632	BSX8SB	\$28.99
.050 – 3/8	13	74637	PBSX13	61.70	10637	BSX13	53.55	38637	BSX13G	72.15	16637	BSX13B	70.15
5/64 – 3/16	7				10645	BSX7	22.05						
5/64 – 3/8	11				10737	BSX11L	58.85						
7/64 – 5/16	8				10633	BSX8	36.10						

Metric Sizes

SIZE	PCS	ProHold® Tip ProGuard™ finish			Balldriver® Tip ProGuard™ finish			Balldriver® Tip GoldGuard™ finish			Balldriver® Tip BriteGuard™ finish		
		PART#	MODEL #	LIST EA	PART#	MODEL #	LIST EA	PART#	MODEL #	LIST EA	PART#	MODEL #	LIST EA
1.27 – 5mm	7				10687	BSX7M	\$21.40						
1.5 – 5mm	6	74686	PBSX6M	\$22.40	10686	BSX6M	19.20	38686	BSX6MG	\$27.55	16686	BSX6MB	\$26.80
1.5 – 10mm	9	74699	PBSX9M	47.85	10699	BSX9M	42.20	38699	BSX9MG	59.55	16699	BSX9MB	57.90
2 – 10mm	8				10733	BSX8ML	48.15						

Square Ball Set with ProGuard™ finish



SIZE	PCS	PART#	MODEL #	LIST EA
#0 – #3	4	11640	BRX4	\$20.90

Star Sets with ProGuard™ finish

SIZE	PCS	ProHold® Tip			Ballstar™ Tip			Star Tip			Tamper-Resistant Tip		
		PART#	MODEL #	LIST EA	PART#	MODEL #	LIST EA	PART#	MODEL #	LIST EA	PART#	MODEL #	LIST EA
T6 – T25	8							34532	TSX8S	\$37.20	33832	TR-SX8S	\$61.65
T6 – T15	6				13546	STX6	\$41.15						
T9 – T40	8	75534	PHTSX8	\$75.70	13532	STX8	61.05	34534	TSX8	43.25	33834	TR-SX8	78.95



Screwdriver Singles

ProHold® & Balldriver® Tip Singles

Inch Sizes



SIZE	QTY	INCH	MM	ProHold® Tip ProGuard™ finish		Balldriver® Tip ProGuard™ finish		Balldriver® Tip BriteGuard™ finish		Balldriver® Tip GoldGuard™ finish	
				PART#	LIST EA	PART#	LIST EA	PART#	LIST EA	PART#	LIST EA
.050	2	2.4	60	74602	\$2.67	10602	\$2.19	16602	\$3.06	38602	\$3.14
1/16	2	2.5	64	74603	2.84	10603	2.36	16603	3.34	38603	3.43
5/64	2	2.6	67	74604	3.02	10604	2.56	16604	3.79	38604	3.90
3/32	2	2.8	71	74605	3.17	10605	2.69	16605	3.79	38605	3.90
7/64	2	2.9	74	74606	3.27	10606	2.72	16606	3.91	38606	4.02
1/8	2	3.1	80	74607	3.34	10607	2.76	16607	3.91	38607	4.02
9/64	2	3.3	83	74608	3.58	10608	3.00	16608	4.68	38608	4.82
5/32	2	3.6	91	74609	3.79	10609	3.21	16609	4.68	38609	4.82
3/16	2	3.7	94	74610	4.91	10610	4.26	16610	6.13	38610	6.31
7/32	2	4.2	107	74611	5.38	10611	4.57	16611	7.01	38611	7.21
1/4	2	5.0	126	74612	6.54	10612	5.79	16612	7.01	38612	7.21
5/16	2	5.6	142	74613	7.56	10613	6.86	16613	10.70	38613	11.01
3/8	2	6.5	164	74614	8.87	10614	8.24	16614	12.36	38614	12.71
7/16	1	7.6	194			10615	17.12	16615	22.39	38615	23.03
1/2	1	8.6	217			10616	20.09	16616	26.18	38616	26.92

Metric Sizes



SIZE	QTY	INCH	MM	ProHold® Tip ProGuard™ finish		Balldriver® Tip ProGuard™ finish		Balldriver® Tip BriteGuard™ finish		Balldriver® Tip GoldGuard™ finish	
				PART#	LIST EA	PART#	LIST EA	PART#	LIST EA	PART#	LIST EA
1.27	2	2.4	60	74649	\$2.67	10649	\$2.18	16649	\$3.06	38649	\$3.14
1.5	2	2.6	86	74650	2.90	10650	2.44	16650	3.34	38650	3.43
2.0	2	2.8	89	74652	3.17	10652	2.72	16652	3.79	38652	3.90
2.5	2	2.7	99	74654	3.21	10654	2.73	16654	3.79	38654	3.90
3.0	2	3.3	83	74656	3.33	10656	2.77	16656	3.91	38656	4.02
3.5	1	3.5	88			10658	3.76				
4.0	2	3.7	95	74660	3.93	10660	3.34	16660	4.68	38660	4.82
4.5	1	4.3	109			10662	4.60				
5.0	2	4.3	109	74664	5.12	10664	4.40	16664	6.13	38664	6.31
5.5	1	5.0	126			10666	6.41				
6	2	5.4	137	74668	5.82	10668	5.04	16668	7.01	38668	7.21
7	1	5.7	145			10670	7.88				
8	2	6.4	162	74672	8.32	10672	7.67	16672	10.70	38672	11.01
9	1	6.9	175			10674	10.28				
10	2	7.3	184	74676	9.45	10676	8.86	16676	12.36	38676	12.71

Square Ball Screwdrivers



Square Ball ProGuard™ finish

SIZE	QTY	PART#	INCH	MM	LIST EA
#0	2	11600	3.5	90	\$4.52
#1	2	11601	3.8	95	5.17
#2	2	11602	4.0	102	5.55
#3	2	11603	4.0	102	6.17
#4	2	11604	4.5	115	6.86

BallStar™ Tip Singles



BallStar™ Tip ProGuard™ finish

SIZE	QTY	INCH	MM	PART#	LIST EA
T6	2	2.6	62	12706	\$6.74
T7	2	2.6	62	12707	6.74
T8	2	2.6	62	12708	6.74
T9	2	2.6	62	12709	6.74
T10	2	2.8	69	12710	7.11
T15	2	2.9	73	12715	7.11
T20	2	3.2	81	12720	7.30
T25	2	3.4	87	12725	7.50
T27	2	3.8	97	12727	7.89
T30	2	4.2	106	12730	8.42
T40	2	4.6	117	12740	9.00
T45	1	5.2	132	12745	10.68
T50	1	6.0	153	12750	12.74
T55	1	6.8	172	12755	15.30

Screwdriver Singles

Balldriver® Tip Singles with ProGuard™ finish

Inch Sizes					Balldriver® Tip Long — 2 per pkg				Balldriver® Tip Extra Long — 1 per pkg				Balldriver® Tip Custom Length — 1 per pkg	
SIZE	PART#	INCH	MM	LIST EA	PART#	INCH	MM	LIST EA	PART#	LIST EA				
.050					3702	11.1	283	\$8.06	193102	\$9.71				
1/16					3703	11.1	283	8.06	193103	9.71				
5/64	10704	4.3	110	\$2.98	3704	11.0	279	8.06	193104	9.71				
3/32	10705	4.8	122	3.08	3705	11.0	279	8.06	193105	9.71				
7/64	10706	5.9	151	3.68	3706	10.6	269	7.95	193106	9.21				
1/8	10707	6.4	164	3.68	3707	10.6	269	7.95	193107	9.26				
9/64	10708	6.9	176	3.98	3708	10.5	267	8.36	193108	9.82				
5/32	10709	7.4	189	4.76	3709	10.5	267	8.58	193109	10.06				
3/16	10710	7.9	202	5.28	3710	10.3	260	9.43	193110	11.09				
7/32	10711	8.4	214	5.90	3711	10.3	260	9.43	193111	11.14				
1/4	10712	8.9	227	6.87	3712	10.3	260	10.11	193112	11.98				
5/16	10713	9.5	241	8.20	3713	10.3	260	11.03	193113	13.01				
3/8	10714	9.9	252	9.71	3714	10.3	260	12.85	193114	14.54				
7/16					3715	10.5	267	13.93	193115	15.96				
1/2					3716	10.5	267	15.56	193116	17.67				

Metric Sizes					Balldriver® Tip Long — 2 per pkg				Balldriver® Tip Extra Long — 1 per pkg				Balldriver® Tip Custom Length — 1 per pkg	
SIZE	PART#	INCH	MM	LIST EA	PART#	INCH	MM	LIST EA	PART#	LIST EA				
1.5					3750	11.0	279	\$8.06	193150	\$9.71				
2.0	10752	4.0	102	\$3.06	3752	11.0	279	8.06	193152	9.71				
2.5	10754	4.3	122	3.28	3754	10.5	279	8.06	193154	9.71				
3	10756	6.2	158	3.87	3756	10.6	270	7.95	193156	9.26				
4	10760	7.0	179	4.18	3760	10.5	267	8.58	193160	10.06				
5	10764	7.8	198	5.71	3764	10.3	260	9.43	193164	11.09				
6	10768	8.6	218	6.11	3768	10.3	260	10.11	193168	11.98				
8	10772	9.3	237	8.46	3772	10.3	260	11.03	193172	13.01				
10	10776	10.2	259	10.43	3776	10.3	260	12.85	193176	14.54				

Star Tip Singles

ProHold® Tip				Tamper-Resistant Tip				Star Tip					
SIZE	QTY	INCH	MM	PART#	LIST EA	PART#	LIST EA	SIZE	QTY	INCH	MM	PART#	LIST EA
T5								T5	2	4.0	102	34505	\$5.41
T6	1	4.3	108			33806	\$7.04	T6	2	4.3	108	34506	4.22
T7	1	4.5	114			33807	7.04	T7	2	4.5	114	34507	4.11
T8	1	4.8	121			33808	7.04	T8	2	4.8	121	34508	4.11
T9	1	4.9	124	75509	\$7.04	33809	7.25	T9	2	4.9	124	34509	4.43
T10	1	5.0	128	75510	7.35	33810	7.25	T10	2	5.0	128	34510	4.65
T15	1	5.1	131	75515	7.56	33815	7.41	T15	2	5.1	131	34515	4.76
T20	1	5.4	138	75520	8.22	33820	9.30	T20	2	5.4	138	34520	5.19
T25	1	5.7	144	75525	9.08	33825	9.36	T25	2	5.7	144	34525	5.73
T27	1	5.8	147	75527	10.49	33827	11.09	T27	2	5.8	147	34527	6.59
T30	1	6.0	153	75530	12.44	33830	13.25	T30	2	6.0	153	34530	7.79
T40	1	6.3	159	75540	13.52	33840	14.33	T40	2	6.3	159	34540	8.49
T45	1	6.5	166	75545	14.06			T45	1	6.5	166	34545	8.87
T50	1	6.8	172	75550	15.69			T50	1	6.8	172	34550	9.84
T55	1	7.0	178	75555	17.52			T55	1	7.0	178	34555	10.97
T60	1	7.3	185	75560	19.36			T60	1	7.3	185	34560	12.12

