


## SHARS Enamel Frame Outside Micrometers



- Solid C-shape metal frame
- 2" and larger furnished with standards
- Carbide tipped with ratchet stop and locking lever
- Graduation: .0001"

Range	Order No.	Price(C)	Range	Order No.	Price(C)
0-1"	303-2600	<b>\$9.90</b>	7-8"	303-2616	<b>\$25.20</b>
1-2	303-2604	<b>11.50</b>	8-9	303-2618	<b>27.85</b>
2-3	303-2606	<b>12.65</b>	9-10	303-2620	<b>30.50</b>
3-4	303-2608	<b>13.99</b>	10-11	303-2622	<b>33.25</b>
4-5	303-2610	<b>16.20</b>	11-12	303-2624	<b>36.10</b>
5-6	303-2612	<b>18.99</b>	0-25mm	303-2625	<b>10.95</b>
6-7	303-2614	<b>22.50</b>			

### Micrometer sets

Range	Order No.	Price(B)	Range	Order No.	Price(C)
0-3"	303-2651N	<b>\$29.95</b>	0-75mm	303-2651M	<b>\$32.95</b>
0-4	303-2652N	<b>49.00</b>	0-100mm	303-2652M	<b>59.95</b>
0-6	303-2653N	<b>75.95</b>	0-150mm	303-2653M	<b>79.95</b>
6-12	303-2654N	<b>169.00</b>	150-300mm	303-2654M	<b>169.00</b>
0-12	303-2655N	<b>249.00</b>	0-300mm	303-2655M	<b>249.00</b>

## SHARS Outside Micrometer Sets

- Carbide tipped with ratchet stop and locking lever
- Furnished with standards
- Supplied in wooden case
- Includes adjusting wrench
- Graduation .0001"



Range	Order No.	Price(B)
0-3"	303-2651	<b>\$29.00</b>
0-4	303-2652	<b>39.95</b>
0-6	303-2653	<b>65.95</b>

## SHARS Digit Outside Micrometers



- Carbide measuring faces
- Positive locking nut
- Complete with box

Range	Reading	Order No.	Price(D)
0-1"	.0001"	303-2401	<b>\$20.95</b>
1-2	.0001	303-2403	<b>22.95</b>
2-3	.0001	303-2405	<b>25.95</b>
3-4	.0001	303-2407	<b>29.00</b>
0-25mm	.01mm	303-2402	<b>28.00</b>
0-3"	.0001"	303-2409	<b>75.95</b>
0-4	.0001	303-2411	<b>105.95</b>
0-6	.0001	303-2412	<b>179.95</b>

## SHARS 7 Piece Anvil Set



- Held with reinforced neoprene boots
- Measures hard to reach places.
- All parts hardened and ground.
- Fits any 1" to 12" Anvil inch or metric
- Ball attachment subtract .200" from total reading

Order No.	Price(D)
303-2510	<b>\$8.99</b>

## SHARS Electronic Digital Micrometer



- Carbide faces
- Zero setting
- mm/inch selection
- Auto-searching max or min value
- Absolute/relative measuring
- Tolerance setting
- Large LCD display .00005"/.001mm

Range	Order No.	Price(E)
0-1"/0-25mm	303-2415	<b>\$45.00</b>
1-2/25-50	303-2416	<b>60.95</b>
2-3/50-75	303-2417	<b>69.95</b>
3-4/75-100	303-2418	<b>80.00</b>

## SHARS IP54 Electronic Micrometer



- Water, oil and coolant resistant to IP54
- Zero setting
- mm/inch selection
- Absolute/relative measuring
- Large LCD display
- Carbide tipped measuring faces
- Resolution: .00005"/.001mm
- Direct RS-232 output

Range	Order No.	Price(C)
0-1"/0-25mm	303-3560	<b>\$63.95</b>
1-2/25-50	303-3561	<b>73.95</b>
2-3/50-75	303-3562	<b>83.95</b>
0-3/0-75	303-3563	<b>199.95</b>

## SHARS Interchangeable Anvil Micrometers



- Carbide spindle face
- Ratchet stop
- Tapered bushings for rapid and precise anvil changing
- Satin chrome finish
- Anvil and Spindle ground and hardened

Range	Accuracy	Graduation	Order No.	Price(D)
0-4"	.00020"	.0001"	303-2380	<b>\$75.00</b>
0-6	.00024	.0001	303-2381	<b>89.00</b>
6-12	.00035	.0001	303-2382	<b>119.00</b>
12-16	.00044	.001	303-2383	<b>129.00</b>
16-20	.00052	.001	303-2384	<b>142.00</b>
20-24	.00060	.001	303-2390	<b>159.95</b>
24-28	.00064	.001	303-2391	<b>212.00</b>
28-32	.00072	.001	303-2392	<b>229.00</b>
32-36	.00080	.001	303-2393	<b>269.95</b>
36-40	.00080	.001	303-2394	<b>319.95</b>



- From 12-40" is the tube frame for light weight

## SHARS Electronic Interchangeable Mike



- With interchangeable anvils
- Automatic zero setting
- No change of reading when changing anvils
- RS 232 SPC output
- Instant inch/metric conversion
- Spindlelock switch

Range	Resolution	Order No.	Price(D)
0-6"/0-150mm	.00005"/.001	303-2420	<b>\$139.00</b>
6-12/150-300	.00005"/.001	303-2421	<b>199.00</b>
12-16/300-400	.00005"/.001	303-2448	<b>215.00</b>
16-20/400-500	.00005"/.001	303-2449	<b>275.00</b>

- Furnished with micro-lapped anvils

## SHARS Screw Thread Micrometer



- 60 Degree Anvils
- .0001" Graduations
- Measures pitch diameter
- Each anvil can be used for both metric and unified external threads

Range	Anvils	Order No.	Price(F)
0-1"	1-5	303-2370	<b>\$61.00</b>
1-2	2-6	303-2371	<b>68.00</b>
2-3	3-6	303-2372	<b>73.10</b>
3-4	3-6	303-2373	<b>120.00</b>
4-5	4-6	303-2374	<b>140.00</b>
5-6	4-6	303-2375	<b>150.00</b>

Anvils in pairs

Pitch	1	2	3	4	5	6
TPI	64-48	44-28	24-14	13-9	8-5	4.5-3.5
Metric	.4-.5	.6-.9	1-1.75	2-3	3.5-5	5.5-7

- V-Anvil and conical spindle are made of special steel, hardened and precision ground
- Ratchet stop
- Position of the anvil can be adjusted by the knurled screw located on the anvil side
- Complete with fitted carrying case
- Anvils included

## SHARS Electronic Screw Thread Micrometer




- 60 Degree Anvils
- Double measuring forces
- Resolution: .00005"/.001mm

- Spindle lock
- 5-Key deluxe micrometer head
- Data output

Range	Threads/Inch	Order No.	Price(F)
0-1"/0-25mm	64~5.0	303-2436	<b>\$137.95</b>
1-2/25-50	44~3.5	303-2437	<b>146.95</b>
2-3/50-75	24~3.5	303-2438	<b>147.95</b>

## SHARS Disc Brake Micrometer



- Can be used as deep throat micrometer 3.5" throat depth
- Measures the depth of grooves on disc brakes
- Carbide measuring faces with 60 degree points
- Ratchet Stop

Range	Resolution	Order No.	Price(F)
.3-1.3"	.001"	303-2201	<b>\$29.95</b>

## SHARS Can Seam Micrometer



- Measures the width, height and depth of can seams
- Carbide faces
- .001" Graduations

Range	Order No.	Price(F)
0-2"	303-2223	<b>\$42.00</b>

## SHARS Wire Micrometer



- Measures the diameter of wire or small ball
- Carbide faces
- Satin chrome finish
- Friction thimble
- .0001" Graduation

Range	Clearance	Order No.	Price(F)
0-.4"	T225F	303-2227	<b>\$42.00</b>

## SHARS Deep Throat Micrometers



- Measures thickness of sheet metal, paper, plastic and rubber parts
- Carbide tipped measuring faces
- Ratchet stop • Graduation: .0001"

Range	Accuracy	Throat Depth	Order No.	Price(D)
0-1"	.00016"	6"	303-2240	<b>\$49.95</b>
0-1	.0002	12	303-2241	<b>64.00</b>
1-2	.00016	8	303-2242	<b>52.95</b>


## SHARS Electric Deep Throat Micrometer



- Painted frame
- Double measuring forces
- 5-Key deluxe model micrometer head
- Graduation: .00005"/.001mm
- Resolution: .00005"/.001mm
- Inch/metric conversion
- Data output

Range	Throat Depth	Order No.	Price(F)
0-1"/0-25mm	6"	303-2439	<b>\$149.50</b>
1-2/25-50	6	303-2440	<b>165.00</b>


## SHARS Tube Micrometer



- Measures wall thickness of various tubes
- Ratchet stop • Carbide faces

Code	Range	Anvil Dia.	Graduation	Order No.	Price(E)
A	0-1"	.07"	.0001"	303-2350	<b>\$21.00</b>
B	0-1	.19	.0001	303-2351	<b>21.40</b>
B	1-2	.19	.0001	303-2352	<b>29.95</b>

## SHARS Groove Micrometer



- Measures grooves, recesses and shoulders located within the bore

Outside Range	Inside Range	Face Diameter	Order No.	Price(D)
0-1"	.055-1.05"	.25"	303-2230	<b>\$149.95</b>
0-1	.055-1.05	.5	303-2231	<b>148.95</b>
1-2	1.05-2.05	.5	303-2232	<b>159.00</b>
2-3	2.05-3.05	.5	303-2233	<b>198.95</b>
3-4	3.05-4.05	.5	303-2234	<b>224.95</b>

- Measure from an edge to a land or from shoulder to groove
- Discs are hardened and lapped
- Satin chrome finish
- .001" Graduation

### SHARS Multi Anvil Micrometers



- Includes two interchangeable anvils: flat and round
- Carbide face on spindle
- Ratchet thimble
- Lock nut
- Satin chrome finish

Range	Graduation	Order No.	Price(D)
0-1"	.0001"	303-2304	<b>\$59.95</b>
1-2	.0001	303-2331	<b>97.00</b>

### SHARS Electronic Multi Anvil Micrometers




- Unique, vise-like special frame holds 2 interchangeable anvils.
- Supplied with both a flat and rod anvil (rod anvil O.D. is .118")
- Measures hard to reach locations such as from a hole or slot to an edge, small tube wall thickness, shoulder to an edge, etc.
- Carbide tipped spindle face.
- Similar electronic features as other models.
- Resolution: .00005" / .001mm
- Includes fitted case

Range	Resolution	Order No.	Price(E)
0-1"/0-25mm	.00005"/.001mm	303-2424	<b>\$104.95</b>
1-2/25-50	.00005/.001	303-2425	<b>119.95</b>


### SHARS Caliper Type Micrometer



- Measures hard to reach places
- Measuring anvils are 3/4" above micrometer head
- Carbide faced
- .0001" Graduation



Range	Order No.	Price(F)
0-1"	303-2228	<b>\$63.00</b>
1-2"	303-2229	<b>69.50</b>



### SHARS Spline Micrometer



- Ratchet stop and lock nut
- Complete with fitted case

Range	Graduation	Order No.	Price(D)
0-1"	.0001"	303-2320	<b>\$35.90</b>
1-2	.0001	303-2321	<b>63.00</b>
2-3	.0001	303-2322	<b>70.00</b>

### SHARS Micrometer Head



- Quick adjustment
- Microlapped oil spindle
- Ratchet stop
- Precision ground threads
- Carbide face
- Shank diameter: 3/8"

Range	Graduation	Order No.	Price(E)
0-1"	.0001"	303-2639	<b>\$12.00</b>
0-1	.0001	303-2641	<b>17.50</b>


### SHARS Electronic Micrometer Head



- Inch/metric conversion, on/off, zero-set, ABS/INC
- Coolant, oil and water resistant to IP54
- Resolution .00005"/.001mm
- Large LCD display
- RS232 output
- Shank diameter 3/8"

Range	Order No.	Price(F)
0-1"/0-25mm	303-2638	<b>\$75.00</b>

### SHARS V-Anvil Micrometers



- Measuring diameter of cylinder with an odd number of flutes such as taps, reamers and end mills
- Ratchet stop with lock nut

#### 60 Degree 3 Flute

Range	Order No.	Price(E)
.04-.06"	303-2340	<b>\$98.00</b>
.2-.8	303-2341	<b>89.95</b>
.8-1.4	303-2342	<b>99.95</b>
1.4-2	303-2343	<b>126.95</b>
.093-1	303-2344	<b>137.00</b>
1-2	303-2345	<b>218.00</b>

- .001" Graduations
- Carbide face

#### 108 Degree 5 Flute

Range	Order No.	Price(F)
.2-1"	303-2346	<b>\$114.00</b>
1-1.8	303-2347	<b>144.00</b>
1.8-2.6	303-2348	<b>167.00</b>
2.6-3.4	303-2349	<b>194.00</b>

### SHARS Electronic V-Anvil Micrometers



- Measures the outside diameter of cutting heads ( such as taps, reamers and end mills) with an odd number of flutes
- Carbide tipped spindle
- 60 Degree, 3 flute

Range	Resolution	Order No.	Price(E)
.2-.8"/5-20mm	.00005"/.001mm	303-2433	<b>\$148.95</b>
.8-1.4/20-35	.00005/.001	303-2434	<b>164.95</b>
1.4-2/35-50	.00005/.001	303-2435	<b>195.00</b>

### SHARS Hub Micrometer



- Shallow, specially designed frame to clear through a 3/4" diameter hole
- Carbide faces
- Measuring hub thickness and shoulders inside bore
- .0001" Graduation

Range	Clearance	Order No.	Price(F)
0-1"	3/4" dia.	303-2224	<b>\$39.50</b>
1-2	1	303-2225	<b>46.00</b>
2-3	1	303-2226	<b>53.00</b>

## SHARS Electronic Dial Snap Gage

- Adjustable anvil through 1"/25mm range
- Travel of moving anvil: .118"
- Tungsten carbide anvils dimension: .55x.43"
- Within the 1/2" square surface, anvils are parallel to .0002" above 4"/100mm range; and to .00015" below it
- Dual reading inch/metric electronic indicator
- Resolution: .00005"/.001mm
- Preset with recall
- Min/Max/TIR
- ABS/INC measurement
- Dial rotates ±170 degrees for easy reading



Range	Order No.	Price(F)	Range	Order No.	Price(F)
0-1"/0-25mm	303-3513	<b>\$345.00</b>	6-7"/150-175mm	303-3519	<b>\$478.00</b>
1-2/25-50	303-3514	<b>364.00</b>	7-8/175-200	303-3520	<b>498.00</b>
2-3/50-75	303-3515	<b>388.00</b>	8-9/200-225	303-3521	<b>510.00</b>
3-4/75-100	303-3516	<b>416.00</b>	9-10/225-250	303-3522	<b>520.00</b>
4-5/100-125	303-3517	<b>436.00</b>	10-11/250-275	303-3523	<b>530.00</b>
5-6/125-150	303-3518	<b>457.00</b>	11-12/275-300	303-3524	<b>540.00</b>

## SHARS Indicating Micrometer



- Accuracy to .00005"
- Tolerance heads may be set as desired
- Carbide faces
- Full .006"(±.003") scale

Range	Order No.	Price(B)
0-1"	303-2301	<b>\$145.00</b>
1-2"	303-2303	<b>165.95</b>

- Quick and easy zero adjustment
- Can be used as go/no go gage

## SHARS Dial Snap Gage

- Accepts all AGD dial group 2
- Anvil retracting range: 5/16"
- Carbide measuring faces
- Large numbers of same sized workpieces can be measured within tolerance limits quickly (duplicated)

Range	Dial	Resolution	Order No.	Price(E)
0-1"	303-3112	.0005"	303-3401	<b>\$129.00</b>
0-1	303-3101	.001	303-3402	<b>107.05</b>
0-1	303-3501	.0005	303-3403	<b>156.55</b>
0-1	303-3504	.0001	303-3404	<b>175.05</b>
0-1	303-3506	.00005	303-3405	<b>256.05</b>




A

B With Dial .00005" 303-3116		A With Dial .0001" 303-3113			
Range	Order No.	Price(F)	Range	Order No.	Price(F)
0-1"	303-3601	<b>\$173.95</b>	0-1"	303-3321	<b>\$157.00</b>
0-2	303-3602	<b>189.95</b>	1-2	303-3322	<b>164.00</b>
2-4	303-3603	<b>205.00</b>	2-3	303-3323	<b>171.00</b>
4-6	303-3604	<b>221.00</b>	3-4	303-3324	<b>178.00</b>
6-8	303-3605	<b>237.00</b>	4-5	303-3325	<b>185.00</b>
			5-6	303-3326	<b>192.00</b>



B

## SHARS Micrometer Stand




- Holds micrometers of all types and sizes

Code	Order No.	Price(F)
A	303-2642	<b>\$13.00</b>
B	303-2640	<b>11.00</b>



B

## SHARS Electronic Inside Micrometer



- Locking clamp, friction stop
- Preset function
- Measuring faces are hardened, precision ground and microlap finished
- Caliper type jaws are made of high grade tool steel, satin chrome finished

Range	Resolution	Order No.	Price(D)
.2-1.2"/5-30mm	.00005"/.001mm	303-2431	<b>\$99.95</b>
1-2/25-50	.00005"/.001	303-2432	<b>109.95</b>

## SHARS Inside Micrometers



- .001" Resolution
- Carbide face
- Hard chrome plated
- With ratchet stop
- Durable smooth finish
- Threaded parts hardened

Range	Ring Gage	Order No.	Price(D)
.2-1.2"	Yes	303-2101	<b>\$29.95</b>
1-2	Yes	303-2103	<b>35.95</b>
2-3	No	303-2105	<b>45.00</b>
3-4	No	303-2107	<b>50.00</b>




### Micrometer Standard

Size	Accuracy	Order No.	Price(D)
2"	±0.00008"	303-2105S	<b>\$15.00</b>
3	±0.00012	303-2107S	<b>21.00</b>



## SHARS Inside Micrometer Sets



Range	Order No.	Price(C)
2-6"	303-2215	<b>\$45.00</b>
2-10	303-2213	<b>53.95</b>
2-24	303-2214	<b>75.00</b>
2-40	303-2216	<b>279.95</b>
2-60	303-2217	<b>460.00</b>

- Satin chrome finished throughout
- Each interchangeable rod is marked with its measuring range
- Supplied with a standard caliper gage for zero setting
- Carbide faces • Graduation: .001" • Rod diameter: .61"

## SHARS Rod-Type Inside Micrometer Set



- Interchangeable rods provide wide measuring range
- Rods clearly marked
- Resolution: .001"
- Contains inside micrometer head

Range	Order No.	Price(D)
2-12"	303-2218	<b>\$79.95</b>

## SHARS Inside Micrometer




Range	Order No.	Price(F)
0.2-2.2"	303-2100	<b>\$89.95</b>

- Satin chrome finish
- Graduations: .001"
- Accuracy: .002"
- Ratchet stop
- Zero adjustment

### SHARS Universal Anvil Micrometer



- Non rotating spindle
- Direct inch/metric conversion
- ABS/INC measuring mode, Resolution .00005"/.001mm
- Preset function
- Comes with 7 anvil set
- Accepts 7 pairs of anvils, making it possible to gage a variety of dimensions unachievable with a single micrometer



Range	Order No.	Price(B)
0-1"	303-2220	<b>\$149.95</b>
1-2	303-2221	<b>159.95</b>

### SHARS Blade Micrometer



- Insulated frame
- Spindle on thimble
- Friction thimble
- Fitted case
- Non-rotating spindle
- Blue baked enamel finish

Range	Graduation	Blade Thickness	Order No.	Price(D)
0-1"	.0001"	.03"	303-2202	<b>\$65.00</b>
1-2	.0001	.03	303-2203	<b>71.00</b>
2-3	.0001	.03	303-2204	<b>85.00</b>
3-4	.0001	.03	303-2205	<b>113.00</b>
4-5	.0001	.03	303-2206	<b>152.95</b>
5-6	.0001	.03	303-2207	<b>165.95</b>

### SHARS Disc Micrometer



- Graduation .0001" • Disc OD: .787"
- Useful for measurements of parts with ribs, lands, fins, cutting edges on form tools and more
- Can get into narrow grooves, slots and recesses
- Heat insulated cover on the frame

Range	Order No.	Price(E)
0-1"	303-2305	<b>\$37.00</b>
1-2	303-2306	<b>49.00</b>
2-3	303-2309	<b>55.00</b>
3-4	303-2310	<b>67.00</b>
4-5	303-2311	<b>84.70</b>
5-6	303-2312	<b>90.00</b>

### SHARS Electronic Blade Micrometer



- Measures keyways, groove diameter shafts and other hard to reach places
- Carbide tipped points
- Non-rotating spindle

Range	Resolution	Order No.	Price(C)
0-1"/0-25mm	.00005"/.001mm	303-2428	<b>\$109.95</b>
1-2/25-50	.00005"/.001	303-2429	<b>119.95</b>
2-3/50-75	.00005"/.001	303-2430	<b>129.95</b>

### SHARS Electronic Disc Micrometer



Range	Order No.	Price(B)
0-1"/0-25mm	303-2426	<b>\$99.95</b>
1-2/25-50	303-2427	<b>109.95</b>

- Can get into narrow grooves, slots and recesses
- Useful for measurements of parts with ribs, lands, fins, cutting edges on form tools and more
- Resolution: .00005"/.001mm

### SHARS 30 Degree Point Micrometer



- Measures small grooves, keyways and other hard to reach places
- 30 Degree points
- Carbide tipped points

Range	Graduation	Order No.	Price(F)
0-1"	.0001"	303-2307	<b>\$38.00</b>
1-2	.0001	303-2318	<b>43.00</b>
2-3	.0001	303-2319	<b>46.00</b>


### SHARS 30 Degree Electronic Point Micrometer



- Measures small grooves, keyways and other hard to reach places
- 30 Degree points
- Carbide tipped points
- Resolution: .00005"/.001mm

Range	Order No.	Price(C)
0-1"/0-25mm	303-2422	<b>\$89.95</b>
1-2/25-50	303-2423	<b>99.95</b>

### SHARS Electronic Ball Micrometer




- Chrome plated frame
- Locking lever
- Graduation: .00005"/.001mm

• Double measuring forces

Range	Flat Spindle Order No.	Spherical Spindle Order No.	Price(F)
0-1"/0-25mm	303-2442	303-2445	<b>\$105.00</b>
1-2/25-50	303-2443	33-2446	<b>110.00</b>
2-3/50-75	303-2444	303-2447	<b>120.00</b>

- 5 key deluxe model micrometer head
- with data output

### SHARS Ball Micrometer



- Ball anvil and flat spindle
- Ratchet stop and lock nut
- Measures wall thickness of various tubes
- Carbide faces

Range	Graduation	Order No.	Price(F)
0-1"	.0001"	303-2360	<b>\$23.90</b>

## SHARS Electronic Depth Micrometer



- SPC Output
- Resolution: .0005"/.001mm
- Preset capability
- Inch/metric conversion
- 4" base
- Zero set key
- Locking clamp

Range	Order No.	Price(D)
0-6"/152.4mm	303-2508	<b>\$124.95</b>
0-12/304.8	303-2509	<b>165.00</b>

## SHARS Depth Micrometer



- Measuring rods with flat head
- Satin chrome
- .001" Graduations
- Base surface hardened and lapped.

Range	Base	No. of Rods	Order No.	Price(D)
0-4"	2.5"	4	303-2503	<b>\$37.50</b>
0-6"	2.5"	6	303-2507	<b>49.95</b>
0-4"	4"	4	303-2501	<b>37.50</b>
0-6"	4"	6	303-2505	<b>49.95</b>

## SHARS 0-22" Digital Depth Gage


- Bottom surface of the base is hardened, ground and lapped.
- Hold feature.
- 6 rod extensions can be connected together for a full 0~22" capacity.
- Includes fitted case.
- Inch/metric conversion
- Zero set
- On/Off



Range	Base	Resolution	Order No.	Price(E)
0~22"/560mm	4"	.0005"/.01mm	303-2514	<b>\$98.95</b>
0~22"/560mm	4"	.00005"/.001mm	303-2511	<b>209.95</b>


## SHARS Dial Depth Gage Kit

- 0-1" travel indicator
- .0001" graduations
- Rods connect together for full capacity
- Satin chrome chrome finish
- Complete in shop hardened case



Range	Base	No of Rods	Order No.	Price(E)
0~22"	4"	6	303-2512	<b>\$68.95</b>
0~16"	2-1/2"	5	303-2515	<b>47.70</b>


## SHARS Electronic Digital Depth Gage



- SPC Output
- .0005"/.01mm Resolution
- Inch/metric conversion
- Zero set
- On/Off

Range	Base	Order No.	Price(F)
0-6"/0-150mm	4"	303-1752	<b>\$37.00</b>
0-8/0-200	4"	303-1753	<b>38.95</b>
0-12/0-300	4"	303-1755	<b>53.95</b>
0-20/0-500	4.7"	303-1756	<b>96.00</b>

## SHARS Depth Base Attachment




- Finely ground base surface & secure locking clamp

Fits Calipers	Order No.	Price(E)
6, 8"	303-1020	<b>\$9.00</b>
12"	303-1021	<b>12.95</b>

- Base size: 3x1/2"
- Dial caliper not included
- Turn your caliper into a depth gage

## SHARS Dual Dial Depth Gage




- Dial graduated in both inch and metric
- Graduation: Inch .001", Metric .02mm

- Range per revolution: .1"/2mm
- Hardened stainless steel

Range	Order No.	Price(D)
6"/150mm	303-1763	<b>\$29.00</b>
8/200	303-1764	<b>45.00</b>

## SHARS Vernier Depth Gage



- Clear graduation on satin-chrome finish
- Hardened stainless steel
- 4" Standard base
- Complete with fitted carrying case

Range	Order No.	Price(E)
0-12"	303-1761	<b>\$22.00</b>
0-20"	303-1762	<b>44.00</b>

## SHARS 0-1" Digimatic Depth Gage

- Large LCD for error-free reading in inch or mm.
- Zero-set at any point
- On/Off button
- Resolution: .0005"/.01mm
- Suitable for tread depth, brake shoe and pad wear



Range	Base	Order No.	Price(C)
0~1"/25mm	2.36"	303-2513	<b>\$7.95</b>